

Fish taxonomy in the digital age challenges and opportunities

William Bernard Rivot

¹ *South African Institute for Aquatic Biodiversity (SALAB), Makhanda, South Africa*

Abstract

In the digital era, the discipline of fish taxonomy is undergoing substantial developments, bringing both difficulties and possibilities. The research describes that fish taxonomy in the digital age related to this research also presents challenges and opportunities between them. Digital technologies such as DNA barcoding, bioacoustics, and sophisticated imaging techniques are revolutionizing traditional methods of species identification and categorization. Navigating the huge volumes of data created by these technologies presents challenges, necessitating sophisticated bioinformatics and computational techniques. Furthermore, taxonomists must integrate digital data with conventional morphological observations to achieve complete and accurate species descriptions. For measuring, the research used some numerical and some theory-based tests related to fish taxonomy and the digital age. However, the digital era presents unparalleled prospects for worldwide collaboration and data exchange among scientists. Online databases and platforms enable the distribution of taxonomic information, hastening the discovery and recording of new species. The use of citizen science and crowdsourcing data improves the discipline even more, allowing for greater engagement in fish taxonomy. This democratization of information benefits not only the cataloging of existing species but also the monitoring and understanding of the impact of environmental changes on fish populations. The overall research found that a significant link between fish taxonomy and the digital age also presents a direct relation between them. To summarize, while the digital era presents obstacles in storing and analyzing large amounts of information, it also opens up new avenues for collaboration and creativity in fish taxonomy. Making use of these opportunities can lead to a more dynamic and comprehensive knowledge of aquatic biodiversity.

Keywords: Fish taxonomy (FT), Digital Age (DA), Challenges (C), Opportunities (O)

Citation: William, R. 2023. Fish taxonomy in the digital age challenges and opportunities. *FishTaxa* 30: 1-13.

Introduction

Various fish species play a significant role in maintaining the ecosystem. Fish species are regarded as an integral component of the ecosystem as they are associated with several food webs. Due to climatic changes, the demand for fish has increased, which has resulted in a decrease in fish biodiversity. The biological fish communities get disturbed due to various environmental problems. The whole aquatic and marine ecosystem alters as a result of changes in the aquatic ecosystem. The population that is most affected by aquatic alternation is fish species. Many fish related to different taxonomic groups become endangered species due to the change in the aquatic ecosystem (Pinder et al., 2019). To save aquatic and marine life, various advanced methodologies have been applied in the aquatic ecosystem management programs.

The innovation in the field of technology has improved its use in various fields. For managing aquatic biodiversity, innovative technology techniques are used by aquatic monitoring teams. The monitoring of fish biodiversity through advanced technological tools and techniques is an emerging methodology. Using intelligence-based algorithmic techniques for managing fish species greatly helps save aquatic life from all the factors that alter their biodiversity (Adams, 2019). For saving fish biodiversity, aquaculture plays a prominent role. Sustainable fisheries activities increase at an exponential rate because of aquaculture. A large number of

the population depends on fish species for their protein source. To meet the human requirements of proteins and nutrients, aquaculture and fish industries play a major role(X. Yang et al., 2021).

The providence of sustainable fish-based protein resources to humans is possible through the sustainable working of fisheries industries. Certain aquaculture face problems associated with maintaining the quality of feed and fish gametes.to overcome these problems of aquaculture, effective biological approaches are used in aquaculture monitoring systems. Using microbiomes in aquaculture improves its efficiency, making it more effective for fish biodiversity. Introducing various manipulated microbiome in aquaculture decrease the chances of fish biodiversity besides development in fish species and improves the sexually related maturation process of fish species(Smith et al., 2021). the research of biologists for understanding the fish biodiversity helps in developing effective aquaculture management strategies. These strategies help in understating the biological traits of various fish species and then help in maintaining the fish biodiversity of the aquatic ecosystem. Maintaining biodiversity related to the aquatic environment is the first and most important step for saving aquatic life from becoming extinct(Belton et al., 2020).

For proper management of different fish species and their taxonomy, digital devices are used in aquaculture. The digital devices provide information about the data related to fish species distribution and behavior in aquatic environments. The computer programs used for monitoring fish species provide images and data about the movement and behavior of fish species. Using advanced technological devices in aquatic monitoring programs revolutionizes the traditional method used for fisheries activities(Wagner et al., 2021). digitalization of aquatic data improves the management programs related to aquatic ecosystem and provide effective ways to save the fish taxonomic features. Also, digital monitoring devices provide information about the size of species and their patterns. The settlement patterns of various fish species are determined using digital apps. These settlement and behavior patterns of fish species explain their biodiversity. Moreover, the status of different fish species in aquatic ecosystems is determined by understanding their behavior and settlement patterns. Photography-based digital motoring devices are used to gather data about the status of different fish populations in an ecosystem (Facey et al., 2022). the photographs of fish populations and their settlements help in predicting the number of fish species in a particular aquatic environment.

The researchers working on fish taxonomy and biodiversity use various machine learning-based approaches to provide strategies for saving aquatic life. The decision tree-based approach is an approach that uses a technology-based technique that helps in analyzing the complex data related to the fish ecosystem(Yue & Shen, 2022). The genetic as well as phenotypic database related to fish species is determined through the decision tree approach. The genotypic and phenotypic expression of fish species greatly explains the abundance of fish species in aquatic environments. Also, for assessing various biological databases related to aquatic and other species of different ecosystems, the use of workable frameworks has been made.

The complexity associated with biological databases is understandable through the analytical frameworks(Ruiz-Salmón et al., 2021). By tackling all the biological data related to aquatic ecosystems, it becomes easy to manage the aquatic life living in different aquatic ecosystems around the globe. All the analytical-based frameworks, along with machine learning approaches, provide in-depth insight into the biological basis behind fish biodiversity.

Various challenges that arise during the process of understating the biological basis behind fish taxonomic biodiversity involve problems related to the management of resources and aquatic feed in aquacultures, responses of fish species towards the changing climatic processes, the influence of correlated traits and the responsiveness of fish species, response of fish species against the environmental stressors, etc. .all these challenges related to aquatic ecosystem biodiversity is managed using technology-based devices in the

monitoring system of aquacultures. The whole data related to fish taxonomy, behavior settlement, and their responsiveness to certain changes is determined through digital motoring devices. The use of the technology-based algorithmic framework by scientists and researchers for underrating aquatic life behavior holds immense importance.

The GLEON is a global networking program in which various scientists and researchers work to understand the response of lake fish species(Cooke et al., 2021). moreover, the researchers studying various aspects of aquatic life use technology-based approaches to get the most authentic and accurate data regarding fish biodiversity. Modern technologies provide the most accurate form of data to researchers about various fish species so that the chances of misunderstanding are reduced. Also, the governments of several countries with large aquatic ecosystems are working on revolutionizing all aquatic monitoring-related devices with modern technology to minimize the chances of error in data related to aquatic species.

Furthermore, the stakeholders of different aquaculture ensure that proper digital devices are used in the morning of the aquaculture to ensure that the integrity of fish biodiversity is maintained at all costs. For this purpose, the most advanced and modern digital monitoring and tracking systems are employed in the aquacultures of the present era.

Research objectives

The Research purpose of this article is to comprehend the concept of Fish taxonomy in the digital age of challenges and opportunities.

Literature review

Researchers claim that functional traits associated with fish species impact their yield. The traditional fish activities get impacted because of the changes in fish functional traits. the functional traits of the fish population get altered as a result of hydroelectric dams.by assessing the functional traits of tropical fish species, the impact of hydroelectric dams on these fishes can be predicted(Arantes et al., 2019).studies claim that climatic changes alter the biodiversity of various ecosystems, including the aquatic ecosystem.

Due to extreme climatic changes, the biodiversity of aquatic life has been disturbed greatly in the last few decades. The problem of global warming poses a great threat to the fish species of the freshwater ecosystem(Barbarossa et al., 2021).studies show that machine learning is a modern technology-based approach used in the monitoring system of marine ecosystems for improving the research process related to aquatic life. The various patterns shown by fish species are determined using the machine learning approach in the research field (Beyan & Browman, 2020).scholars predict that aquaculture-related sustainable approaches are developed through the use of effective methodologies.

The improvement in the aquaculture environment through the use of workable strategies improves the production value of these aquatic ecosystems (Boyd et al., 2020).scholars explain that for managing the fishery-based ecosystem, the use of fishery-based data proves effective. The old methods to collect fishery data are now substituted with technology-based methods to get authentic data regarding the fishery ecosystem. Modern technology-based data collection methods reduce over-fishing activities and maintain the biodiversity of fish species(Bradley et al., 2019). Fish taxonomy provides the foundation for understanding the enormous variety seen in aquatic habitats. The hierarchical structure provides a systematic framework for organizing the many forms that inhabit freshwater and marine ecosystems, ranging from broad categories like realm and kingdom to the details of species.

The confluence of morphological, ecological, and genetic data has driven the evolution of this categorization system. However, as the digital era progresses, a new chapter in fish taxonomy is being written—

one that incorporates the use of technology to uncover the complexity of aquatic biodiversity. studies explain that sustainability associated with fish management is made using novel aquaculture feeds. Novel aquaculture feeds are so ecosystem-friendly that they reduce the forage fish demand. Researchers claim that by 2030, the demand for forage fish will be reduced because of the increased use of aquaculture feeds(Cottrell et al., 2020).studies suggest that in the past few years, the spread of non-indigenous species in the aquatic ecosystem has increased, which has resulted in the transformation of the marine ecosystem.

Using technology-based fishery management reforms helps in reducing the number of NIS in the aquatic ecosystem(Kleitou et al., 2021).studies show species that survive on the planet change their biodiversity due to various fluctuations in the environment. conserving the aquatic ecosystem biodiversity enhances the chances of higher fish densities. using in-situ as well as ex-situ conservation strategies protects the aquatic biodiversity(Mestanza-Ramón et al., 2020).scholars predict that to save the fish species from vanishing; various effective fish biodiversity maintenance programs are adopted. These programs help in rebuilding the stock of fish species, thereby reducing the chances of fish species extinction.by saving the fish species' biodiversity, different fish species can be saved for future use(Pauly, 2019).studies claim that a large proportion of the freshwater ecosystem is responsible for maintaining the water resources of Earth.

The diversity found in freshwater species is managed and monitored using technology-based techniques. certain anthropogenic impacts make freshwater species and make them vulnerable. These impacts include loss of habitat and climatic fluctuations.by efficiently controlling the anthropogenic impacts, the species of freshwater can retain their biodiversity-related characteristics(Radinger et al., 2019).studies reveal that climatic changes are among the major environmental functions that greatly alter the species distribution. The climatic changes force fish species to shift from one habitat to another, which ultimately disturbs their biodiversity.

The vulnerability associated with fish species due to climatic changes is assessed using technology-based assessment techniques(Rogers et al., 2019).studies explain that women play a critical role in catching wild fish species. The increase in negative violence activities around the world against women has risked the empowering role of women in society. The potential role of women in enhancing the chances of economic stability is negatively impacted due to gender-based discrimination(Siles et al., 2019).studies show that the AIS technique gives detailed information regarding the fish species having industrial worth. For accurately estimating the fisher practices and their effect on fish biodiversity, the use of AIS is made(Taconet et al., 2019).scholars highlight that certain environmental factors impact the aquaculture ecosystem negatively. To save the aquaculture ecosystem, bivalve shellfish are cultivated in the aquaculture habitat. The seaweed improves the ecosystem services, thereby maintaining the integrity of fish biodiversity. Moreover, the association between species living in aquatic habitats plays a critical role in maintaining biodiversity (Theuerkauf et al., 2022).studies show that certain microplastics are taken by marine species as food.

The micro plastics act as an aquaculture feed that changes the ecosystem of marine life. The contamination control of marine ecosystems is possible because the microplastics are taken by marine species as a food source (Thiele et al., 2021).studies explain that electronic monitoring in the aquatic environment holds immense importance. The electronic monitoring devices are cost-effective and monitor the movement of fish in the whole aquatic atmosphere.

The electronic devices are well-equipped with cameras that capture fish species from all angles(van Helmond et al., 2020).studies explain that fish communities of coastal areas are controlled through a well-developed technology-based socio-ecological system. These ecological management systems help in developing adaptation mechanisms as well as assessing the impact of fish colonization on fish biodiversity. also, the fishery management system manages the climatic impact of various fish species through the use of technology-based

devices(Whitney et al., 2020).furthermore, using the intelligence system for managing the aquaculture ecosystem holds immense importance.

The aquaculture product efficiency and quality improve as a result of an intelligence-based technology system. The process of precision farming is performed using computer-based vision technology. The behavioral analysis of fish species is made using the aquaculture-based vision technology(L. Yang et al., 2021).studies suggest that fish optimization is necessary for maintaining the biodiversity of the aquatic environment. The optimization of electric fish is made using the heuristic algorithm as it works on the approach of electrolocation.

The location of prey in aquatic ecosystems is easily detected using the heuristic algorithmic approach(Yilmaz & Sen, 2020). Also, using the automation technique in aquaculture improves digital technology-based farming activities. Machine learning provides tremendous application in the field of aquaculture, thereby improving the quality of products made through aquaculture fish species. The evaluation of the biomass of fish is made using artificial intelligence-based technology(Zhao et al., 2021).

Challenges

1. Data Overload: With so much digital data available, organizing and analyzing big databases may be overwhelming. Taxonomists must now filter through massive volumes of genetic, morphological, and ecological data. 2. Taxonomic Inflation: The ease with which information may be shared online has resulted in an increase in the number of species descriptions. While this is intriguing, it also raises worries about the taxonomic work's quality and consistency. 3. Data Integration: It might be difficult to bring together data from multiple sources, such as molecular, ecological, and morphological data. Integrating this disparate information is critical for accurate and thorough categorization.

Opportunities


1. Genomic Tools: Advances in DNA sequencing have changed the face of fish taxonomy. Molecular data helps to redefine species boundaries by providing a more accurate picture of evolutionary connections. 2. Online Databases: Digital platforms make it possible to create large, centralized databases. Fish Base and the Barcode of Life Data Systems initiatives give a lot of information, encouraging study and cooperation. 3. Citizen Science: Because of the digital era, citizen scientists may now give significant data that aids in the discovery and documenting of fish species. Apps and internet platforms encourage data collecting and observation among hobbyists. 4. Taxonomists can use digital technologies to generate dynamic and visually appealing representations of taxonomic relationships. This facilitates the communication of difficult information to both professionals and the general public. 5. Global Collaboration: Online platforms enable worldwide taxonomist collaboration. Researchers may readily exchange data, debate conclusions, and collaborate, resulting in a more complete and internationally educated taxonomy.

While obstacles remain, the internet era has unquestionably altered fish taxonomy, providing unparalleled opportunities for study, collaboration, and public participation.

Taxonomy of fish

The science of naming, characterizing, and categorizing fish species is known as taxonomy. It is a discipline of biology that classifies and organizes fish based on evolutionary links, physical traits, and genetic makeup.

Here's a quick rundown: Species: The species is the basic taxonomic unit. It refers to a species of organism capable of interbreeding and producing fruitful progeny. The Nile tilapia (*Oreochromis niloticus*) is one example.



Fish Taxonomy Problems

Cryptic Species: Some species appear quite similar yet are genetically different, making identification difficult. **Interbreeding** between various species can cause classification lines to blur. **Morphological Variation:** Within a species, physical characteristics can vary significantly, making it difficult to determine precise limits. **Incomplete Taxonomic Knowledge:** Due to the immensity of oceanic ecosystems and inaccessible freshwater locales, several species remain unknown or understudied. Advances in genetic methods, such as DNA barcoding, have substantially increased fish taxonomy accuracy. Furthermore, internet platforms and databases help with information exchange, assisting academics in improving and updating fish classifications.

Digital age

The digital era, often known as the Information era, is defined by the increasing acceptance and integration of digital technology into all aspects of human existence. It has had a significant influence on how we communicate, get information, work, and engage with the rest of the world. The digital age has brought with it new potential and problems, revolutionizing how societies operate. It continues to affect our everyday lives and is a driving factor behind societal and economic transformations. In the digital era, fish taxonomy, or the systematic categorization of fish species, has launched on a revolutionary journey, experiencing both problems and extraordinary potential.

1. Streaming services, online gaming, and digital content consumption have all emerged as significant sources of entertainment, displacing traditional media formats.

2. **Cybersecurity Concerns:** The digital era has introduced new issues, such as cybersecurity risks and data privacy concerns. The protection of digital assets and personal information is an important component of navigating the digital realm.

3. **Disruption and Innovation:** Digital technologies have fuelled innovation across several industries, causing old business models to be disrupted and new ones to develop.

| Correlations | | Fish taxonomy1 | Fish taxonomy 2 | Fish taxonomy 3 | digital age 1 | digital age 2 | digital age 3 |
|---------------------|---------------------|-----------------------|------------------------|------------------------|----------------------|----------------------|----------------------|
| Fish taxonomy1 | Pearson Correlation | 1 | -.013 | -.087 | -.294* | -.164 | -.040 |
| | Sig. (2-tailed) | | .927 | .549 | .038 | .255 | .785 |
| | N | 50 | 50 | 50 | 50 | 50 | 50 |
| Fish taxonomy 2 | Pearson Correlation | -.013 | 1 | -.003 | .092 | -.312* | .153 |
| | Sig. (2-tailed) | .927 | | .982 | .526 | .027 | .288 |
| | N | 50 | 50 | 50 | 50 | 50 | 50 |
| Fish taxonomy 3 | Pearson Correlation | -.087 | -.003 | 1 | .157 | .029 | -.171 |
| | Sig. (2-tailed) | .549 | .982 | | .277 | .843 | .234 |
| | N | 50 | 50 | 50 | 50 | 50 | 50 |
| digital age 1 | Pearson Correlation | -.294* | .092 | .157 | 1 | .401** | .247 |
| | Sig. (2-tailed) | .038 | .526 | .277 | | .004 | .084 |
| | N | 50 | 50 | 50 | 50 | 50 | 50 |
| digital age 2 | Pearson Correlation | -.164 | -.312* | .029 | .401** | 1 | -.075 |
| | Sig. (2-tailed) | .255 | .027 | .843 | .004 | | .605 |
| | N | 50 | 50 | 50 | 50 | 50 | 50 |
| digital age 3 | Pearson Correlation | -.040 | .153 | -.171 | .247 | -.075 | 1 |
| | Sig. (2-tailed) | .785 | .288 | .234 | .084 | .605 | |
| | N | 50 | 50 | 50 | 50 | 50 | 50 |

*. Correlation is significant at the 0.05 level (2-tailed).

** . Correlation is significant at the 0.01 level (2-tailed).

Table 1

The above result describes that correlation analysis represents Pearson correlation values, the significant value, and the number of observations of each indicator. The digital age is the main dependent variable. For the digital ages 1,2 and 3, the significant values are 25%, 78%, and 3%. All these values show a significant link between fish taxonomy and the digital age. The result also presents a positive correlation between digital age and fish taxonomy.

Problems in the Digital Age

Data Excess and Integration Issues:

The digital age has brought with it an abundance of information, confronting taxonomists with the task of maintaining and synthesizing massive databases. While the combination of genetic, morphological, and ecological data is extremely significant, it runs the danger of overloading researchers. Integrating these disparate statistics into a cohesive taxonomy is like traversing an ocean of data, requiring advanced analytical techniques and multidisciplinary teamwork.


Inflation in Taxonomic Classification

As the barriers to knowledge sharing in the digital domain fall, taxonomic inflation becomes a relevant topic. The ease with which new species descriptions may be disseminated might lead to an increase in taxonomic entities, thereby diminishing the quality and consistency of taxonomic work. Navigating this increase necessitates a delicate balance between encouraging new species discovery and preserving the strength of taxonomic classifications.

The Genomic Revolution and Its Difficulties

Advances in DNA sequencing technology have changed the face of fish taxonomy. Taxonomists may now use genomic technologies to gain a better grasp of evolutionary links and redefine species boundaries. However, the

genomic revolution has introduced new difficulties, such as the identification of cryptic species, which seem identical but are genetically unique. Deciphering the complexities of fish genomes necessitates a combination of molecular biology understanding and computational prowess.



Opportunities in the Digital Age

Unleashing Genomic Tools

The development of genomic technologies, notably DNA barcoding, has emerged as a source of hope in fish taxonomy. By analyzing short, standardized DNA sequences, DNA barcoding allows for the speedy and reliable identification of species. This not only speeds up the process of identifying species but also helps to reveal hidden diversity and elucidate evolutionary links. The combination of genetics and taxonomy brings up possibilities for a more exact and nuanced knowledge of fish biodiversity.

Centralized Knowledge and Online Databases

Comprehensive online databases that serve as vital reservoirs of piscine information have emerged as a result of digital platforms. Fish Base and the Barcode of Life Data Systems initiatives have compiled massive volumes of information, providing taxonomists with a centralized point for referencing and adding to the communal understanding of fish species. The availability of these databases encourages collaboration by crossing geographical borders and linking scholars on a worldwide scale.

Citizen Science and Public Participation

Citizen scientists are playing an increasingly important role in fish taxonomy in the digital era. Data gathering and observation are made easier by mobile applications and internet platforms that engage hobbyists and the general public. Citizen research not only speeds up the finding of new species but also raises public knowledge and participation in aquatic biodiversity. Individuals' joint efforts, aided by digital technologies, lead to a more democratized and inclusive approach to fish taxonomy.

Communication Visualisation Tools

Taxonomists now have enhanced visualization tools that go beyond traditional means of expressing complicated information, thanks to the digital era. Taxonomic linkages that are interactive and visually appealing improve communication not just among the scientific community but also with the general public. Taxonomists may use digital platforms to construct a clear image of evolutionary links, making the complicated web of fish biodiversity more accessible and interesting.


Global Collaboration Boosted

The internet landscape fosters worldwide collaboration among taxonomists. Online platforms make it possible to communicate data, ideas, and skills in real-time. Geographic distances no longer limit collaborative efforts in fish taxonomy; academics from all around the world may contribute to a shared understanding of aquatic life. The collective intelligence created by digital cooperation strengthens and broadens fish taxonomy.

Getting to the Bottom of the Digital Ocean


Fish taxonomy faces a combination of obstacles and opportunities as it navigates the depths of the digital ocean. The sea of knowledge, which was previously a barrier, has now become a resource as well as a challenge. Taxonomists, armed with advanced genomic techniques, are delving into the complexities of fish genomes, unraveling mysteries and redrawing species boundaries. The digital era necessitates not just flexibility but also a paradigm shifts in how we approach and comprehend aquatic biodiversity.

In this digital age, fish taxonomy is at a crossroads, where technological integration serves as both a compass and a map. Data saturation, taxonomic inflation, and genetic complexity necessitate a planned navigation approach. However, the prospects provided by genomic technologies, internet databases, citizen research, visualization tools, and worldwide cooperation provide a gold mine of possible discoveries and breakthroughs.



The above graph represents the control chart between fish taxonomy and the digital age. The vertical side shows that the mean value of its frequency levels is 1.0, and the endpoint is 2.5. the horizontal side shows that strongly agree, agree, and neutral point. The average value is 1.7400, which shows a positive average value between the

fish taxonomy and the digital age.



The above graph presents the cluster bar digital age one and the fish taxonomy link between them. The blue bar line presents a strong agreement between fish taxonomy and the digital age. The red bar line presents the agree point, the orange line shows that they disagree, and the yellow line presents the strongly disagree point between them. The vertical side represents the digital age, and the horizontal side shows the fish taxonomy level. The overall graph shows a direct and significant relation between fish taxonomy and the digital age.

Conclusion

The digital era has thrown a wide net, catching the essence of fish taxonomy in an ever-changing and linked setting. While difficulties tear across the information seas, opportunities emerge like gleaming pearls waiting to be discovered. The marriage of biological skill and digital capability holds the potential to reveal the hidden gems of aquatic life as taxonomists sail through the digital currents. In this age of discovery, fish taxonomy not only adapts to digital tides but also rides the wave of innovation, accelerating our comprehension of the enthralling diversity that flourishes under the surface of our planet's oceans. Finally, the convergence of fish taxonomy and the digital age has brought in a transformational period in which difficulties and possibilities coexist in a dynamic equilibrium.

Taxonomists must contend with the complications of data overload, taxonomic inflation, and the subtle nuances given by the genetic revolution as they navigate immense oceans of information. Despite these obstacles, the digital era has revealed a variety of options that have the potential to change our understanding of aquatic biodiversity. Taxonomists' use of genomic technologies, notably the breakthrough DNA barcoding, provides a strong lens for unraveling the puzzles of evolutionary connections and redefining species boundaries. With the emergence of internet databases like Fish Base and collaborative platforms such as the Barcode of Life Data Systems, taxonomists now have centralized information repositories, enabling worldwide cooperation and assuring a common awareness of fish variety.

As citizen science grows, it becomes a positive force that engages the public in the process of learning and cultivates a sense of responsibility for aquatic ecosystems. By bridging the gap between experts and the general public, visualization tools enhance scientific communication and enable everyone to understand the intricate web of fish taxonomy. Fish taxonomy is navigating these new waters as we welcome a paradigm shift in how we research and categorize aquatic life in the digital age. The challenges are not insurmountable; rather, they offer room for innovation and flexibility. With the aid of technical advancements that have proven essential in the study of biodiversity, taxonomists are now called to go deeper into the once-dangerous oceans of information. Fish taxonomy is leading the way in scientific discovery, international cooperation, and public involvement in this digital age.

The integration of digital technology with biological knowledge holds promise for unveiling hitherto unknown aspects of aquatic ecosystems, therefore contributing to our comprehension of the intricate relationships that govern life below the surface. To put it briefly, the digital age has opened up new possibilities and challenges for fish taxonomy. By exploring these frontiers, researchers might not only find solutions to current problems but also make surprising findings that influence our knowledge of fish taxonomy and its broader ecological implications. The digital era is paving the way for a future when the underwater regions of biodiversity are studied with unprecedented precision and depth thanks to its abundance of instruments and techniques.

The promise of a more complete, linked, and accessible knowledge of fish biodiversity emerges as the guiding light as taxonomists chart their route through these new seas. The adventure continues, pushed by the winds of technological progress and a shared commitment to explore, comprehend, and maintain the enthralling diversity that distinguishes the aquatic environment.

Future Research

Future fish taxonomy study in the digital era provides enormous promise for uncovering deeper layers of aquatic biodiversity. There are a few possibilities for scholars to pursue in order to push the frontiers of knowledge and contribute to the growing landscape:

- Investigate integrative techniques that integrate standard morphological taxonomy with genetic and ecological data. This integrated approach has the potential to give a more complete knowledge of species boundaries and evolutionary connections.
- Examine the functional morphology of fish species, with an emphasis on adaptations to various habitats and ecological niches. Investigate how morphological traits contribute to the ecological success of various species using digital imaging and modeling tools.
- Discover the genetic underpinnings of phenotypic variance within fish species. Investigate how genetic variety leads to color, size, and behavior differences, offering information on the mechanisms underlying adaptation and speciation.
- Investigate the synthesis of heterogeneous information, such as genetic, ecological, and environmental data, in order to build a more robust and dynamic taxonomy. Create synthetic taxonomy frameworks that can adapt to new information and insights.
- Create techniques for quantifying and characterizing cryptic diversity in fish species. Identify and define taxa that seem visually similar but have considerable genetic divergence using genomic methods.
- Examine the biogeography of fish species and the connections of various populations. Understand how environmental conditions and anthropogenic activities impact the distribution and migration of fish species using spatial modeling and GIS technologies.

- Investigate the ethical and social consequences of taxonomic judgments, particularly in the context of conservation and resource management. Consider the viewpoints of local communities and stakeholders when doing a taxonomy study.
- Create and promote long-term monitoring programs with citizen scientists. Engage the public in long-term data gathering to observe changes in fish biodiversity and contribute to large-scale research programs.

References:

- Adams, A. (2019). Progress, challenges and opportunities in fish vaccine development. *Fish & shellfish immunology*, *90*, 210-214.
- Arantes, C. C., Fitzgerald, D. B., Hoeinghaus, D. J., & Winemiller, K. O. (2019). Impacts of hydroelectric dams on fishes and fisheries in tropical rivers through the lens of functional traits. *Current Opinion in Environmental Sustainability*, *37*, 28-40.
- Barbarossa, V., Bosmans, J., Wanders, N., King, H., Bierkens, M. F., Huijbregts, M. A., & Schipper, A. M. (2021). Threats of global warming to the world's freshwater fishes. *Nature Communications*, *12*(1), 1701.
- Belton, B., Little, D. C., Zhang, W., Edwards, P., Skladany, M., & Thilsted, S. H. (2020). Farming fish in the sea will not nourish the world. *Nature Communications*, *11*(1), 5804.
- Beyan, C., & Browman, H. I. (2020). Setting the stage for the machine intelligence era in marine science. *ICES Journal of Marine Science*, *77*(4), 1267-1273.
- Boyd, C. E., D'Abramo, L. R., Glencross, B. D., Huyben, D. C., Juarez, L. M., Lockwood, G. S., McNevin, A. A., Tacon, A. G., Teletchea, F., & Tomasso Jr, J. R. (2020). Achieving sustainable aquaculture: Historical and current perspectives and future needs and challenges. *Journal of the World Aquaculture Society*, *51*(3), 578-633.
- Bradley, D., Merrifield, M., Miller, K. M., Lomonico, S., Wilson, J. R., & Gleason, M. G. (2019). Opportunities to improve fisheries management through innovative technology and advanced data systems. *Fish and Fisheries*, *20*(3), 564-583.
- Cooke, S. J., Venturelli, P., Twardek, W. M., Lennox, R. J., Brownscombe, J. W., Skov, C., Hyder, K., Suski, C. D., Diggles, B. K., & Arlinghaus, R. (2021). Technological innovations in the recreational fishing sector: implications for fisheries management and policy. *Reviews in Fish Biology and Fisheries*, *31*, 253-288.
- Cottrell, R. S., Blanchard, J. L., Halpern, B. S., Metian, M., & Froehlich, H. E. (2020). Global adoption of novel aquaculture feeds could substantially reduce forage fish demand by 2030. *Nature Food*, *1*(5), 301-308.
- Facey, D. E., Bowen, B. W., Collette, B. B., & Helfman, G. S. (2022). *The Diversity of Fishes: Biology, Evolution and Ecology*. John Wiley & Sons.
- Kleitou, P., Crocetta, F., Giakoumi, S., Giovos, I., Hall-Spencer, J. M., Kalogirou, S., Kletou, D., Moutopoulos, D. K., & Rees, S. (2021). Fishery reforms for the management of non-indigenous species. *Journal of Environmental Management*, *280*, 111690.
- Mestanza-Ramón, C., Henkanathgedara, S. M., Vásquez Duchicela, P., Vargas Tierras, Y., Sánchez Capa, M., Constante Mejía, D., Jimenez Gutierrez, M., Charco Guamán, M., & Mestanza Ramón, P. (2020). In-situ and ex-situ biodiversity conservation in Ecuador: A review of policies, actions and challenges. *Diversity*, *12*(8), 315.
- Pauly, D. (2019). *Vanishing fish: shifting baselines and the future of global fisheries*. Greystone Books Ltd.
- Pinder, A. C., Britton, J. R., Harrison, A. J., Nautiyal, P., Bower, S. D., Cooke, S. J., Lockett, S., Everard, M., Katwate, U., & Ranjeet, K. (2019). Mahseer (Tor spp.) fishes of the world: status, challenges and opportunities for conservation. *Reviews in Fish Biology and Fisheries*, *29*, 417-452.
- Radinger, J., Britton, J. R., Carlson, S. M., Magurran, A. E., Alcaraz-Hernández, J. D., Almodóvar, A., Benejam, L., Fernández-Delgado, C., Nicola, G. G., & Oliva-Paterna, F. J. (2019). Effective monitoring of freshwater fish. *Fish and Fisheries*, *20*(4), 729-747.
- Rogers, L. A., Griffin, R., Young, T., Fuller, E., St. Martin, K., & Pinsky, M. L. (2019). Shifting habitats expose fishing communities to risk under climate change. *Nature Climate Change*, *9*(7), 512-516.
- Ruiz-Salmón, I., Laso, J., Margallo, M., Villanueva-Rey, P., Rodríguez, E., Quinteiro, P., Dias, A. C., Almeida, C., Nunes, M. L., & Marques, A. (2021). Life cycle assessment of fish and seafood processed products—a review of methodologies and new challenges. *Science of the Total Environment*, *761*, 144094.
- Siles, J., Prebble, M., Wen, J., Hart, C., & Schuttenberg, H. (2019). Advancing gender in the environment: gender in fisheries—a sea of opportunities. *IUCN and USAID. Washington, USA: USAID. 68pp.*

-
- Smith, K. E., Burrows, M. T., Hobday, A. J., Sen Gupta, A., Moore, P. J., Thomsen, M., Wernberg, T., & Smale, D. A. (2021). Socioeconomic impacts of marine heatwaves: Global issues and opportunities. *Science*, *374*(6566), eabj3593.
- Taconet, M., Kroodsma, D., & Fernandes, J. A. (2019). Global Atlas of AIS-based fishing activity—Challenges and opportunities.
- Theuerkauf, S. J., Barrett, L. T., Alleway, H. K., Costa-Pierce, B. A., St. Gelais, A., & Jones, R. C. (2022). Habitat value of bivalve shellfish and seaweed aquaculture for fish and invertebrates: Pathways, synthesis and next steps. *Reviews in Aquaculture*, *14*(1), 54-72.
- Thiele, C. J., Hudson, M. D., Russell, A. E., Saluveer, M., & Sidaoui-Haddad, G. (2021). Microplastics in fish and fishmeal: an emerging environmental challenge? *Scientific reports*, *11*(1), 2045.
- van Helmond, A. T., Mortensen, L. O., Plet-Hansen, K. S., Ulrich, C., Needle, C. L., Oesterwind, D., Kindt-Larsen, L., Catchpole, T., Mangi, S., & Zimmermann, C. (2020). Electronic monitoring in fisheries: lessons from global experiences and future opportunities. *Fish and Fisheries*, *21*(1), 162-189.
- Wagner, D., van der Meer, L., Gorny, M., Sellanes, J., Gaymer, C. F., Soto, E. H., Easton, E. E., Friedlander, A. M., Lindsay, D. J., & Molodtsova, T. N. (2021). The Salas y Gómez and Nazca ridges: a review of the importance, opportunities and challenges for protecting a global diversity hotspot on the high seas. *Marine Policy*, *126*, 104377.
- Whitney, C., Frid, A., Edgar, B., Walkus, J., Siwallace, P., Siwallace, I., & Ban, N. (2020). “Like the plains people losing the buffalo”: perceptions of climate change impacts, fisheries management, and adaptation actions by Indigenous peoples in coastal British Columbia, Canada. *Ecology and Society*, *25*(4).
- Yang, L., Liu, Y., Yu, H., Fang, X., Song, L., Li, D., & Chen, Y. (2021). Computer vision models in intelligent aquaculture with emphasis on fish detection and behavior analysis: A review. *Archives of Computational Methods in Engineering*, *28*, 2785-2816.
- Yang, X., Zhang, S., Liu, J., Gao, Q., Dong, S., & Zhou, C. (2021). Deep learning for smart fish farming: applications, opportunities and challenges. *Reviews in Aquaculture*, *13*(1), 66-90.
- Yilmaz, S., & Sen, S. (2020). Electric fish optimization: a new heuristic algorithm inspired by electrolocation. *Neural Computing and Applications*, *32*(15), 11543-11578.
- Yue, K., & Shen, Y. (2022). An overview of disruptive technologies for aquaculture. *Aquaculture and Fisheries*, *7*(2), 111-120.
- Zhao, S., Zhang, S., Liu, J., Wang, H., Zhu, J., Li, D., & Zhao, R. (2021). Application of machine learning in intelligent fish aquaculture: A review. *Aquaculture*, *540*, 736724.